## School Nursing Bleeding Disorder EAP

Medications may be administered at school by school personnel when necessary for school attendance. This completed form, along with the medication and/or special equipment items are to be brought to the school by the parent/guardian.  TO BE COMPLETED BY PARENT / GUARDIAN  I, the parent/guardian of				Photo
Hemophilia: Type Other: Activity restrictions: (playground, sports, PE				
Medication at School (name)  Dosage /Frequency		Possible side effects		
Treatment Plan: (always use universal prec	autions)			
MINOR bleeding episode:  Notify parent if common bleed (nose, mouth, superficial cut) lasting longer than 15 - 20 minutes		MAJOR bleeding episode  Joint Bleeds: The student may report a tingling/bubbling sensation, stiffness or pain. The joint may be warm, stiff and have a decreased ROM. Notify parent and  R – rest the joint. No weight bearing.  I – ice. Apply cold compress  C – compression. Apply ace wrap  E – elevation. ↑ the affected area to ↓swelling		
Cuts: clean, apply pressure, bandage and ice pack Nosebleeds: position child sitting up with head forward and apply pressure for 20 minutes to the cartilage.  Signature of Parent/Guardian:		Head, neck, throat and abdominal bleeds can be life threatening. Also any injury to the eye, while not life threatening, is serious.  Contact parent and 911 immediately if any of these major injuries.  Relationship:  Date:		
PLEASE REVIEW PARENT PROVIDED INFO				
Physician's name printed Physicians's address:  Physician's signature				
Phone: F	ax:	Date:		